

Hannes V. Jakob

✉ hannes.jakob@mathematik.uni-freiburg.de | 🏠 home.mathematik.uni-freiburg.de/jakob/ | 📄 Hannes Jakob

Education

Gymnasium Nepomucenum Rietberg

ABITUR

Rietberg, Germany

July 2008 - June 2016

Albert-Ludwigs-Universität Freiburg

B.Sc. IN MATHEMATICS

- Bachelor's thesis in set theory titled "Cichoń's Maximum"

Freiburg, Germany

Oct. 2017 - Sept. 2020

Albert-Ludwigs-Universität Freiburg

M.Sc. IN MATHEMATICS

- Master's thesis in set theory titled "Generalised Tree Properties"

Freiburg, Germany

Oct. 2020 - Sept. 2022

Albert-Ludwigs-Universität Freiburg

DR. RER. NAT. IN MATHEMATICS

- Graduated *summa cum laude*
- Thesis titled "Variants of Mitchell Forcing"
- Advisor: Prof. Heikeildenberger

Freiburg, Germany

Oct. 2022 - Jan. 2025

Positions

Albert-Ludwigs-Universität Freiburg

WISSENSCHAFTLICHER MITARBEITER

- Advisor: Prof. Heikeildenberger

Freiburg, Germany

Oct. 2023 - July 2025

University of North Texas

VISITING ASSISTANT PROFESSOR

- Mentor: Prof. John Krueger

Denton, TX, USA

Starting July 2025

Teaching

Lecture: Combinatorics

TEACHING ASSISTANT

Winter 2023/2024

Freiburg, Germany

Seminar: Prikry-Forcing

TEACHING ASSISTANT

Summer 2024

Freiburg, Germany

Lecture: Mathematical Logic

TEACHING ASSISTANT

Summer 2024

Freiburg, Germany

Lecture: Set Theory

TEACHING ASSISTANT

Winter 2024/2025

Freiburg, Germany

Lecture: Topology

TEACHING ASSISTANT

Summer 2025

Freiburg, Germany

Publications and Preprints

Disjoint Stationary Sequences on an Interval of Cardinals

2023

J.

Submitted

We answer a question of Krueger by, from countably many Mahlo cardinals, constructing a model in which there is a disjoint stationary sequence on every \aleph_n , $n \geq 2$. In this model, for any $n \geq 1$ and any $\Theta > \aleph_n$ there are stationarily many $N \in [H(\Theta)]^{\aleph_n}$ which are internally unbounded but not internally club.

Slender Trees and the Approximation Property

2023

J.

Submitted

We prove several compatibility results regarding the ineffable slender property introduced by Christoph Weiss.

Distinguishing Internally Club and Approachable on an Infinite Interval

2024

J., MAXWELL LEVINE

Submitted

We answer a question of Krueger by, from countably many Mahlo cardinals, constructing a model in which for any $n \geq 1$ and $\Theta > \aleph_n$ there are stationarily many $N \in [H(\Theta)]^{\aleph_n}$ which are internally club but not internally approachable.

Cascading Variants of Internal Approachability

2024

J.

Submitted

We show that it is consistent that there exist stationarily many models which are internally approachable of different variants at different levels. We also show that, in general, the approachability property at μ can hold together with the existence of stationarily many $N \in [H(\mu^+)]^\mu$ which are internally stationary but not internally club.

On Friedman's Property

2024

J.

Submitted

We introduce posets which gently add witnesses to the failure of variants of Friedman's property in order to separate many of these principles both at one cardinal and between different cardinals. Along the way we obtain that many known results which hold for κ -strategically closed forcings can fail for $< \kappa$ -strategically closed ones.

Invited Talks

On Friedman's Property

13.11.2024

SET THEORY SEMINAR AT THE CZECH ACADEMY OF SCIENCES

Prague, Czech Republic

Strong Distributivity and the Indestructibility of ISP

15.11.2024

WORKSHOP: COMPACTNESS AND CARDINAL INVARIANTS II

Prague, Czech Republic

Seminar Talks

Strong Distributivity and Games on Posets

25.04.2023

OBERSEMINAR: MATHEMATISCHE LOGIK

Freiburg, Germany

Forcings with the Approximation Property

12.12.2023

OBERSEMINAR: MATHEMATISCHE LOGIK

Freiburg, Germany

Friedman's and other Reflection Properties

06.04.2024

OBERSEMINAR: MATHEMATISCHE LOGIK

Freiburg, Germany

Contributed Talks

Cascading Variants of Internal Approachability

17.09.2024

EUROPEAN SET THEORY CONFERENCE

Münster, Germany